



HIV Webinar

www.letstalkaboutit.nhs.uk

LEARNING OUTCOMES



- An introduction to local Sexual Health services
- . An introduction to Sexual Health Promotion & HIV team
- . HIV and AIDS what is the difference
- Reducing Stigma
- Prevention methods: Testing, Treatment, Condoms, PrEP and PEP
- Symptoms and transmission awareness
- . Resources available for professionals and signposting
- Upcoming campaigns

WHAT IS YOUR UNDERSTANDING OF HIV & AIDS?





Undetectable?

Death sentence?

Outdated?

There is no cure?

Sharing needles drugs/tattooing?

Gay-only disease?

No symptoms?

Prep?

Manageable?

Stigma?

You get AIDS from sex?

Starts with a cold?

Not talked about much these days?

Easily transmitted?

Can't have children?

Causes the immune system to become extremely weak?

It's an 80's/90's thing

It's in the blood?









AIDS cannot be transmitted between people, HIV can.

You cannot be given a diagnosis of AIDS unless you are HIV positive.

WHO CAN GET HIV?





ANYONE

HIV can affect anyone, regardless of gender or who you have sex with. It is important that you protect yourself against viruses or STIs like HIV by using condoms when having sex and test yourself regularly if you change sexual partners.

HIV STATS





HIV diagnosis declined by 33% between 2019 - 2021

Diagnosis of GBMSMs (Gay, Bisexual and other men who have sex with men) has reduced by 67% since 2014

1 in 16 people living with HIV do not know they have the virus

98 % of people diagnosed with HIV are on treatment and 97% of those on treatment are virally suppressed

HIV-South East: 2021 Data

UK HIV Statistics | National AIDS Trust

TRANSMISSION ROUTES





- Unprotected sex
- Semen
- Vaginal fluids, including menstrual blood
- Anal secretions
- Breast milk
- Blood
- Mother to baby (vertical transmission)
- Sharing sex toys
- Sharing injecting equipment

RECKLESS TRANSMISSION





In England and Wales, you may be found guilty of reckless HIV transmission if all the below apply:

- You had sex with someone who didn't know you had HIV.
- You knew you had HIV at that time.
- You understood how HIV is transmitted.
- You had sex without a condom.
- You transmitted HIV to that person.






HIV Prevention

Around







Effective

Male (external) latex condoms have an 80% or greater protective effect against the sexual transmission of HIV and other STIs.

However, they need to be used correctly and consistently.

The only way to know your HIV status **Sexual** Is To Test!





Testing windows

- National testing guidelines set out a 90-day window for HIV self-tests
- Blood tests that you send off to a lab and those available at sexual health clinics have a testing window of 45 days
- In practical terms, this means that a self-test tells you what your HIV status was 90 days ago, while a blood test tells you what your status was 45 days ago

Order a test online | Lets Talk About It





WHAT DO RESULTS MEAN?

Postal Kits:
 If a positive result, further tests needed in SH clinic

Reactive Point of Care/Instant testing:
 is not necessarily a positive result, further tests needed in SH clinic

If in doubt always test now and consider when to test again in the future







PrEP is a pill that protects you from HIV

PrEP puts you in control.

'pre' is something you do before a risk of exposure (in this case to HIV)

'prophylaxis' is a treatment or action you can take to help prevent disease

PrEP may be suitable for you if you:





- are HIV negative
- have anal, vaginal or frontal sex in a variety of situations where condoms are not easily or always used
- want to protect yourself from HIV

Who is eligible for PrEP?

- Men and transgender women who: Have sex with men
- HIV negative partners of an HIV positive person when: The HIV positive partner is not known to be virally suppressed
- Other HIV negative people assessed to be at high risk of HIV acquisition. Condomless sex, (excluding oral) with partners from parts of the world where HIV is common (such as Southern Africa, Southeast Asia and the Caribbean), and commercial sex workers or their clients who report regular condomless sex

Where to get PrEP?

Pr E P





Taken Before and After Sex

Daily or Event based



THT guide to PrEP

PrEP info guide

WHAT IS PEP?






- PEP stands for Post-Exposure Prophylaxis
- The word "prophylaxis" means to prevent or control the spread of an infection or disease
- **PEP** means taking HIV medicines within 72 hours (3 days) after a possible exposure to HIV to prevent HIV infection
- **PEP** is not a long-term prevention method to be relied upon

Preventing an STI (PEP) - Lets Talk About It

PEP







Within 72 hours!

But Get As Soon As Possible!

Sexual Health Clinics

letstalkaboutit.nhs.uk - clinic finder

Find HIV post exposure prophylaxis (PEP) services



Accident & Emergency



HIV CANNOT BE TRANSMITTED BY













Mouth-to-mouth resuscitation























Stigma is More Harmful Than HIV - YouTube







STIGMA AND DISCRIMINATION AROUND HIV



48%

Uncomfortable kissing someone living with HIV



Uncomfortable going on a date with someone living with HIV



33%

Had experienced HIV discrimination from friends.
30% had experienced HIV discrimination in the workplace and from family

MYTH BUSTING





Living with HIV may not be how you imagine. Treatment and care is so advanced, if you are diagnosed with HIV and on effective treatment, you can live a normal life

You can have children

You can go to work

You can socialise

You can be active

You can live as long a lifespan as someone without HIV

You can have unprotected sex with an undetectable viral load

Research has evidenced that people on effective HIV treatment whose virus is controlled cannot pass on HIV to others







UNDETECTABLE viral load means HIV IS UNTRANSMITTABLE

***** Undetectable = Untransmittable



HOW LONG CAN SOMEONE LIVE WITH HIV



Many people living with HIV can expect to live as long as their peers who do not have HIV.

Studies show that people living with HIV have a similar life expectancy to HIV-negative people. Providing they are:

- Diagnosed in good time
- Have good access to medical care
- Are able to adhere to their HIV treatment

Life expectancy for people living with HIV | aidsmap

LIVING WITH HIV, CARE & SUPPORT





- Appointments within 2 working days for those who are newly diagnosed with HIV
- •Long term follow-ups, treatment and management for those living with and/or affected by HIV
- •Support from: Health Advisor, Health Promotion or Adult Mental Health Nurse
- Specialist dietician support
- Specialist pharmacist to support with medication
- Anonymous partner notification
- •Sexual health care, STI testing, contraception and cervical screening
- •Specialist care (shared with other hospital consultants where necessary, with consent) including preconception advice, care in pregnancy, hepatitis co-infection and TB treatment

Children living with HIV are looked after by the Paediatric HIV team. Our HIV team works closely with these families and support children moving into our care at the age of 18.

LEGAL RIGHTS





People living with HIV are classed as living with a disability under the Equalities Act 2010

It is against the law to discriminate against someone living with HIV

Having time off work – for appointments

Protected Characteristics

Age	Disability	Gender Reassignment
Marriage & Civil Partnership	Pregnancy & Maternity	Race
Religion & Belief	Sex	Sexual Orientation

HOW TO SUPPORT A PERSON LIVING WITH HIV





Show them that you see them as the same person, and that they are more than their diagnosis

Educate Yourself about HIV:

What HIV is

How HIV is and is not transmitted (Myth Busting)

How HIV is treated

How people can stay healthy with HIV

Disclosing their status can be a very significant moment in someone's life. A person is trusting you with important, private information, so as an ally.

Always Respect Their Privacy



HOW TO SUPPORT SOMEONE LIVING WITH HIV NOT WANTING TO SHARE THEIR HIV STATUS





Ensure all staff are provided with diversity and equality training, which includes information about HIV

Record employees leave related to their HIV status as disability leave. Keep this separate from general sick leave

Policy Awareness- Diversity and Equality Policy.

Harassment and Discrimination Policy

Help to end stigma and discrimination, by improving staff knowledge about HIV.

Raise awareness of World AIDS Day in December every year



In the Workplace





"The vast majority of people living with HIV have a very positive workplace experience, and just get on with their job like any other employee. As an employer, it is very unlikely that you will ever face a discrimination case to do with someone living with HIV, but it is important that you are aware of your legal obligations."

Advice for Employers

sexual NHS health Solent NHS Trust

Sexual Health Promotion Key Delivery

Public Health Outcomes Framework:

- 1:1 Support including Safer Sex & Risk Reduction
- Reducing Teenage Pregnancy/Unplanned Pregnancy
- Relationships & Sex Education
- Help to reduce STIs and Promote Testing



- Network & Training
- Targeted LTRSE Delivery
- Supporting GPs, Pharmacies and Youth Services to offer Condom Provision - GIO (Get It On)
- Partnership with No Limits and Terrance Higgins Trust



Accessing Our Services



Online:

- PHR (Personal Health Record)
- STI Testing Kits by post
- Condoms by Post
- Advice and Information
- Support for young people

Main hubs

- St Mary's Hospital, Portsmouth
- Royal South Hants, Southampton
- Crown Heights, Basingstoke
- Andover Health Centre
- Unit 6, Eastleigh
- AC4H Aldershot
- St Mary's Hospital, Isle of Wight

- Clinic Finder
- Specialist Clinics
- Sexual Health Referrals
- Information for Professionals
- 24/7 'Need Help' Facility

You can find details of the nearest sexual health clinic at:

www.letstalkaboutit.nhs.uk
Or call: 0300 300 2016



Personal Health Record (PHR)




Solent Sexual Health Services confidential Personal Health Record for patients.

This is exclusive to Sexual Health and not linked to any other medical records.

The PHR brings together Appointment Booking, STI Test Kit ordering and Condoms by Post all in one place.



Personal Health Record



Testing & Condoms







Testing

- Chlamydia Testing Kit (15- 24)
- Young People's Walk-in Clinics
- Full STI Kit (18+)
- Clinical Services

STI Testing Kit

Condoms

- GIO Scheme under 25's
- Condoms by Post
- Sexual Health Clinics

Condoms

OTHER SUPPORTING INFORMATION





<u>Thames Valley Positive Support</u> is an HIV charity that offers practical and emotional support to anyone affected by HIV

The Terrence Higgins Trust is a charity providing support to people at risk of HIV and people living with HIV. They will also answer private questions online

<u>i-base</u> provides lots of information leaflets and useful documents, which can be downloaded and printed. These include a downloadable diary to record treatments and medication, information about HIV during pregnancy, information on changing treatments and lots more.

HIV Lloyds Information Leaflet is a leaflet that provides information to patients living with HIV about the way that medication is provided for them

Viiv Healthcare

leading HIV Company- resource rich content, data and images working with global communities

Sexual Health Promotion Team



Community and Networking Lead Laura Davies

Basingstoke, Farnborough, Aldershot & Alton Natalie D'Anna-Brown

Andover, Eastleigh, Winchester Vicky Rodd

Southampton & New Forest Lucy Blake

Isle of Wight Anna Murray

Portsmouth, Fareham & Gosport Gordon Atkins

Petersfield, Liss, Bordon, Havant & Alton Claire Wells



Thank You for Your Time!





@solentnhstrustsexual healthservices





@LetsTalkHants



@LetsTalkHants

